



Printing Date 12/30/2014

Revision Number 1

Revision Date 12/30/2014

#### 1 Identification

- · Product identifier
- · Trade name: Double Bubble Epoxy Very High Peel Strength Part A (04007)
- Relevant identified uses of the substance or mixture. Adhesive
- · Application of the substance / the mixture Adhesives
- Details of the supplier of the safety data sheet
- Manufacturer/Supplier: Royal Adhesives & Sealants 800 E. Anaheim Street Wilmington. CA 90744 (310) 830-9904
- · Information department: Environment protection department.
- · Emergency telephone number:

ChemTrec: Day or Night within USA and Canada: 1-800-424-9300. Outside USA and Canada: +1 703-741-5970 (collect calls accepted)

#### 2 Hazard(s) identification

· Classification of the substance or mixture



GHS07

Skin Irrit. 2 H315 Causes skin irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

Eye Irrit. 2B H320 Causes eye irritation.

- · Label elements
- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



GHS07

- · Signal word Warning
- · Hazard statements

Causes skin and eye irritation.

May cause an allergic skin reaction.

· Precautionary statements

If medical advice is needed, have product container or label at hand.

Keep out of reach of children.

Read label before use.

Avoid breathing dust/fume/gas/mist/vapors/spray

Wear protective gloves.

Wash thoroughly after handling.

Contaminated work clothing must not be allowed out of the workplace.

(Contd. on page 2)

Printing Date 12/30/2014

Revision Number 1

Revision Date 12/30/2014

### Trade name: Double Bubble Epoxy Very High Peel Strength Part A (04007)

(Contd. of page 1)

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

Specific treatment (see on this label).

Wash contaminated clothing before reuse.

If skin irritation or rash occurs: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

If on skin: Wash with plenty of water.

Take off contaminated clothing and wash it before reuse.

Dispose of contents/container in accordance with local/regional/national/international regulations.


- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 2 Fire = 1

Reactivity = 0

· HMIS-ratings (scale 0 - 4)



2 Health = 2

1 Fire = 1

PHYSICAL HAZARD 0 Physical Hazard = 0

- · Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

#### 3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture: consisting of the following components.

٠	L	a	n	g	;e	re	ou.	S	co	m	pon	en	ts	:	
-		-	_	_	_	_	_		1			_	_	-	-

25068-38-6 Bisphenol A Epoxy Resin

50-100%

7631-86-9 silicon dioxide, chemically prepared

≤1.0%

#### 4 First-aid measures

- · Description of first aid measures
- · After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist. In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: Do not induce vomiting; immediately call for medical help.
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

- LIC

Printing Date 12/30/2014

Revision Number 1

Revision Date 12/30/2014

Trade name: Double Bubble Epoxy Very High Peel Strength Part A (04007)

(Contd. of page 2)

### 5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray.

Use fire fighting measures that suit the environment.

- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

#### 6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation

Wear protective clothing.

- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

#### 7 Handling and storage

· Precautions for safe handling

Use only in well ventilated areas.

Prevent formation of aerosols.

- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location away from direct heat.
- · Information about storage in one common storage facility:

Store away from oxidizing agents.

Store away from flammable substances.

- · Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

#### 8 Exposure controls/personal protection

- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment (see listings below)
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

(Contd. on page 4)

Printing Date 12/30/2014

Revision Number 1

Revision Date 12/30/2014

Trade name: Double Bubble Epoxy Very High Peel Strength Part A (04007)

(Contd. of page 3)

The usual precautionary measures for handling chemicals should be followed.

- · Breathing equipment: Not necessary if room is well-ventilated.
- · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

· Material of gloves

Nitrile rubber, NBR

Chloroprene rubber, CR

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- · Eye protection: Safety glasses with side shields.
- · Body protection: Protective work clothing

#### 9 Physical and chemical properties

- · Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Color:

Liquid

· Odor:

Beige Characteristic

· Change in condition

nange in conaillo

Melting point: Boiling point: Undetermined.
Undetermined.

· Flash point:

> 104 °C (> 219 °F)

· Auto igniting:

Product is not selfigniting.

· Danger of explosion:

Product does not present an explosion hazard.

- · Specific gravity at 20 °C (68 °F): 1.35 g/cm³ (11.266 lbs/gal)
- · Solubility in / Miscibility with

Water:

Not miscible or difficult to mix.

· Solvent content:

VOC (Per EPA 24)

1.303 GMS/L

· Other information

No further relevant information available.

#### 10 Stability and reactivity

- · Reactivity
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: Reacts with oxidizing agents.

(Contd. on page 5)

Printing Date 12/30/2014

Revision Number 1

Revision Date 12/30/2014

Trade name: Double Bubble Epoxy Very High Peel Strength Part A (04007)

· Hazardous decomposition products: Carbon monoxide and carbon dioxide

Aldehydes

(Contd. of page 4)

#### 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- · on the skin: Irritant to skin and mucous membranes.
- · on the eye: Irritating effect.
- · Sensitization: Skin Contact Sensitization possible through skin contact.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Irritant

- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

7631-86-9 silicon dioxide, chemically prepared

3

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

### 12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Ecotoxical effects:
- · Remark: Toxic for fish
- · Additional ecological information:
- · General notes:

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Also poisonous for fish and plankton in water bodies.

Toxic for aquatic organisms

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

#### 13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. Must be specially treated adhering to official regulations.

(Contd. on page 6)

Printing Date 12/30/2014

Revision Number 1

Revision Date 12/30/2014

Trade name: Double Bubble Epoxy Very High Peel Strength Part A (04007)

(Contd. of page 5)

· Uncleaned packagings:

· Recommendation: Disposal must be made according to official regulations.

UN-Number DOT	not regulated
ADR, IMDG, IATA	UN3082
UN proper shipping name	
DOT ADR	not regulated 3082 Environmentally hazardous substances, liquid, n.o.s. (Bisphenol A Epoxy Resin)
IMDG	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Bisphenol A Epoxy Resin), MARINE POLLUTANT
IATA	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Bisphenol A Epoxy Resin)
Transport hazard class(es)	
DOT	
Class ADR, IMDG, IATA	not regulated
Class Label	<ul><li>9 Miscellaneous dangerous substances and articles</li><li>9</li></ul>
Packing group	
DOT ADR, IMDG, IATA	not regulated III
Environmental hazards:	***
Marine pollutant:	Symbol (fish and tree)
Special marking (ADR):	Symbol (fish and tree)
Special marking (IATA):	Symbol (fish and tree)
Special precautions for user Danger code (Kemler):	Warning: Miscellaneous dangerous substances and articles 90
EMS Number:	F-A,S-F
Transport in bulk according to Annex II MARPOL73/78 and the IBC Code	of Not applicable.
The content of the co	
Transport/Additional information:	Product packaging conforms to 49 CFR 173.4 - Requirements for "Small Quantity Exceptions"

USA

Printing Date 12/30/2014

Revision Number 1

Revision Date 12/30/2014

Trade name: Double Bubble Epoxy Very High Peel Strength Part A (04007)

(Contd. of page 6)

#### 15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- Sara
- Section 355 (extremely hazardous substances):

None of the ingredients is listed.

Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

· TSCA (Toxic Substances Control Act):

All components of this product are on the TSCA Inventory or are exempt from TSCA Inventory requirements.

- Proposition 65
- · Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity:

None of the ingredients is listed.

· (DSL) Canada Dosmestic Substance List

All components of this product are on the DSL(Canada Domestic Substance list) or are exempt from DSL requirements.

- · Cancerogenity categories
- · EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

1332-58-7 Kaolin

A4

· MAK (German Maximum Workplace Concentration)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

- · National regulations:
- · Water hazard class: Water hazard class 2 (Self-assessment): hazardous for water.
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### 16 Other information

Although the information and recommendations set forth in this SDS are presented in good faith and are believed to be correct as of the date of this SDS, Royal Adhesives & Sealants makes no representations as to the completeness or accuracy thereof. Information is supplied on the condition that the persons receiving and using it will make their own determination as to the suitability for their purpose prior to use. In no event will Royal Adhesives & Sealants or any affiliate thereof be responsible for damages of any nature whatsoever resulting from the use or reliance on the information set forth in the SDS.

- Department issuing SDS: Environment protection department.
- · Creation Date: 06/19/2013
- · Date of preparation / last revision 12/30/2014 / -
- · Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

(Contd. on page 8)

Printing Date 12/30/2014

Revision Number 1

Revision Date 12/30/2014

#### Trade name: Double Bubble Epoxy Very High Peel Strength Part A (04007)

(Contd. of page 7)

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International

Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2

Eye Irrit. 2B: Serious eye damage/eye irritation, Hazard Category 2B

Skin Sens. 1: Sensitisation - Skin, Hazard Category 1

USA





Printing Date 06/19/2013

Revision Number 2

Revision Date 06/19/2013

#### 1 Identification of the substance/mixture and of the company/undertaking

- · Product identifier
- · Trade name: Double Bubble Epoxy Very High Peel Strength Part B (04007)
- Relevant identified uses of the substance or mixture and uses advised against Adhesive
- · Application of the substance / the preparation Adhesives
- Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Royal Adhesives And Sealants, LLC

2001 W. Washington Street South Bend IN 46628-2023

Information Phone Number: 574-246-5000

- · Information department: Environment protection department.
- · Emergency telephone number: ChemTrec: UNITED STATES 1(800)424-9300 INTERNATIONAL 703-527-3887

### 2 Hazards identification

· Classification of the substance or mixture



GHS07

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

- · Label elements
- GHS label elements The product is classified and labelled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



GHS07

- · Signal word Warning
- · Hazard statements

Causes skin irritation.

Causes serious eye irritation.

May cause an allergic skin reaction.

· Precautionary statements

If medical advice is needed, have product container or label at hand.

Keep out of reach of children.

Read label before use.

Avoid breathing dust/fume/gas/mist/vapours/spray.

Wear protective gloves/protective clothing/eye protection/face protection.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Specific treatment (see on this label).

Take off contaminated clothing and wash before reuse.

(Contd. on page 2)

Printing Date 06/19/2013

Revision Number 2

Revision Date 06/19/2013

Trade name: Double Bubble Epoxy Very High Peel Strength Part B (04007)

(Contd. of page 1)


Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 3 Fire = 1 Reactivity = 0

· HMIS-ratings (scale 0 - 4)



3 Health = 3

1 *Fire* = 1

PHYSICAL HAZARD 0 Physical Hazard = 0

- · Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

#### 3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture: consisting of the following components.

_	Polyamide Resin	50-100%
1332-58-7	Kaolin	25-50%
	Aliphatic Amine	≤2.5%
	Amorphous Fumed Silica	≤2.5%
	Tertiary Amine	≤2.5%
13463-67-7	titanium dioxide	≤2.5%
1333-86-4	Carbon black	≤2.5%

#### 4 First aid measures

- · Description of first aid measures
- · After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist. In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: Do not induce vomiting; immediately call for medical help.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

LISA

(Contd. on page 3)

Printing Date 06/19/2013

Revision Number 2

Revision Date 06/19/2013

Trade name: Double Bubble Epoxy Very High Peel Strength Part B (04007)

(Contd. of page 2)

### 5 Firefighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray.

Use fire fighting measures that suit the environment.

- · Advice for firefighters Use water spray in a fire condition.
- · Protective equipment: Mouth respiratory protective device.

#### 6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation

Wear protective clothing.

- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

#### 7 Handling and storage

- · Handling:
- · Precautions for safe handling

Use only in well ventilated areas.

Prevent formation of aerosols.

- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: Store in a cool location away from direct heat.
- · Information about storage in one common storage facility:

Store away from flammable substances.

Store away from oxidizing agents.

· Further information about storage conditions:

Protect from heat and direct sunlight.

Keep receptacle tightly sealed.

· Specific end use(s) No further relevant information available.

#### 8 Exposure controls/personal protection

- · Control parameters
- · Components with limit values that require monitoring at the workplace:

1332-58-7 Kaolin (25-50%)

PEL 15\* 5\*\* mg/m3

\*total dust \*\*respirable fraction

(Contd. on page 4)

Printing Date 06/19/2013

Revision Number 2

Revision Date 06/19/2013

Trade name: Double Bubble Epoxy Very High Peel Strength Part B (04007)

(Contd. of page 3)

REL 10\* 5\*\* mg/m3

\*total dust \*\*respirable fraction

 $TLV = 2* mg/m^3$ 

E; as respirable fraction

#### 13463-67-7 titanium dioxide (≤1.0%)

PEL 15\* mg/m<sup>3</sup>

\*total dust

REL See Pocket Guide App. A

TLV 10 mg/m<sup>3</sup>

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment (see listings below)
- · General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

- · Breathing equipment: Not necessary if room is well-ventilated.
- · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

· Material of gloves

Nitrile rubber, NBR

Chloroprene rubber, CR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- · Eye protection: Safety glasses with side shields.
- · Body protection: Protective work clothing

### 9 Physical and chemical properties

- · Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form:

Liquid

Color:

Gray

· Odor:

Amine-like

· Change in condition

Melting point:

Undetermined.

**Boiling point:** 

Undetermined.

· Flash point:

> 96 °C (> 205 °F)

· Auto igniting:

Product is not selfigniting.

· Danger of explosion:

Product does not present an explosion hazard.

(Contd. on page 5)

Printing Date 06/19/2013

Revision Number 2

Revision Date 06/19/2013

Trade name: Double Bubble Epoxy Very High Peel Strength Part B (04007)

		(Contd. of page 4
· Specific gravity at 20 °C (6	8 °F): 1.23 g/cm³ (10.264 lbs/gal)	
Solubility in / Miscibility w	ith	
Water:	Not miscible or difficult to mix.	
· Solvent content:		
Organic solvents:	0.0 %	
VOC (Per EPA 24)	103.3 GMS/L	
Solids content:	33.8 %	
· Other information	No further relevant information available.	

### 10 Stability and reactivity

- Reactivity
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: Reacts with strong oxidizing agents.
- · Hazardous decomposition products:

Carbon monoxide and carbon dioxide

Nitrogen oxides

Ammonia

### 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- · on the skin: Caustic effect on skin and mucous membranes.
- · on the eye: Strong irritant with the danger of severe eye injury.
- · Sensitization: Skin Contact Sensitization possible through skin contact.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Irritant

· Carcinogenic categories

21
21

#### 12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.

(Contd. on page 6)

Printing Date 06/19/2013

Revision Number 2

Revision Date 06/19/2013

Trade name: Double Bubble Epoxy Very High Peel Strength Part B (04007)

(Contd. of page 5)

- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

#### 13 Disposal considerations

- · Waste treatment methods
- · Recommendation: Must be specially treated adhering to official regulations.
- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

### 14 Transport information

- · UN-Number
- · DOT, ADR, ADN, IMDG, IATA Void
- · UN proper shipping name
- DOT, ADR, ADN, IMDG, IATA

Void

- · Transport hazard class(es)
- · DOT, ADR, ADN, IMDG, IATA
- · Class

Void

- · Packing group
- · DOT, ADR, IMDG, IATA

Void

- · Environmental hazards:
- Not applicable.
- · Special precautions for user

Not applicable.

- · Transport in bulk according to Annex II of
- MARPOL73/78 and the IBC Code

Not applicable.

· UN "Model Regulation":

#### 15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Cara
- · Section 355 (extremely hazardous substances):

None of the ingredients is listed.

Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

(Contd. on page 7)

Printing Date 06/19/2013

Revision Number 2

Revision Date 06/19/2013

Trade name: Double Bubble Epoxy Very High Peel Strength Part B (04007)

(Contd. of page 6) · TSCA (Toxic Substances Control Act): All components of this product are on the TSCA Inventory or are exempt from TSCA Inventory requirements. · Proposition 65 · Chemicals known to cause cancer: None of the ingredients is listed. · Chemicals known to cause reproductive toxicity: None of the ingredients is listed. · (DSL) Canada Dosmestic Substance List All components of this product are on the DSL(Canada Domestic Substance list) or are exempt from DSL requirements. · Cancerogenity categories · EPA (Environmental Protection Agency) None of the ingredients is listed. · TLV (Threshold Limit Value established by ACGIH) 1332-58-7 Kaolin A413463-67-7 titanium dioxide A41333-86-4 Carbon black A4· MAK (German Maximum Workplace Concentration) 13463-67-7 titanium dioxide 3A1333-86-4 Carbon black 3B· NIOSH-Ca (National Institute for Occupational Safety and Health) 13463-67-7 titanium dioxide 1333-86-4 Carbon black · OSHA-Ca (Occupational Safety & Health Administration) None of the ingredients is listed.

- · National regulations:
- · Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### 16 Other information

Although the information and recommendations set forth in this MSDS are presented in good faith and are believed to be correct as of the date of this MSDS, Royal Adhesives & Sealants makes no representations as to the completeness or accuracy thereof. Information is supplied on the condition that the persons receiving and using it will make their own determination as to the suitability for their purpose prior to use. In no event will Royal Adhesives & Sealants or any affiliate thereof be responsible for damages of any nature whatsoever resulting from the use or reliance on the information set forth in the MSDS.

- · Department issuing MSDS: Environment protection department.
- · Creation Date: 06/19/2013
- · Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organization

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

(Contd. on page 8)

Printing Date 06/19/2013

Revision Number 2

Revision Date 06/19/2013

Trade name: Double Bubble Epoxy Very High Peel Strength Part B (04007)

(Contd. of page 7)

ACGIH: American Conference of Governmental Industrial Hygienists

NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)

USA -