Date: 20/12/2010 Page 1/5 Revision: N°3 (19/05/2009) Company: HYDRACHIM - CLADE

# **SAFETY DATA SHEET**

#### 1 - IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

#### Identification of the substance or preparation:

Name: WINTERSTEIGER AG - STERIBIO FRAICHEUR VERT.

Product code: 6057.

# Company/undertaking identification:

Registered company name: HYDRACHIM - CLADE.

Address: ROUTE DE SAINT POIX.35370.LE PERTRE.FRANCE. Telephone: +33.(0)2.99.96.80.08. Fax: +33.(0)2.99.96.82.00.

reglementation@hydrachim.fr

www.hydrachim.fr

Fabricant

Emergency telephone: +33 (0)1 45 42 59 59.

Association/Organisation: INRS / ORFILA http://www.centres-antipoison.net.

### 2 - HAZARDS IDENTIFICATION

This product is classified: Flammable. May produce an allergic reaction.

### **Preparation classification:**

Flammable

R 10 Flammable.

Other data:

This product is for use as a biocide.

### 3 - COMPOSITION/INFORMATION ON INGREDIENTS

Full text of risk phrases appearing in section 3: see section 16.

### Hazardous substances present on their own:

(present in the preparation at a sufficient concentration to give it the toxicological characteristics it would have in a 100% pure state)

This preparation contains no hazardous substance in this category.

### Other substances representing a hazard:

No known substance in this category present.

### Substances present at a concentration below the minimum danger threshold:

No known substance in this category present.

Other substances with occupational exposure limits:

INDEX	CAS	EC	Name	Symb.	R:	%
603-002-00-5	64-17-5	200-578-6	ETHANOL	F	11	10 <= x % < 25
•			•		•	

May produce an allergic reaction:

INDEX	CAS	EC	Name	Symb.	R:	%
0281	101-86-0	202-983-3	ALPHA-HEXYL CINNAMIC	Xi	43	0 <= x % < 2.5
			ALDEHYDE			
0670	78-70-6	201-134-4	LINALOOL	Xi	38	0 <= x % < 2.5

### 4 - FIRST AID MEASURES

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing in an unconscious person.

# In the event of exposure by inhalation:

Transport the person to the fresh air

# In the event of splashes or contact with eyes:

Wash thoroughly with soft, clean water for 15 minutes holding the eyelids open.

Refer the patient to an ophthalmologist, in particular if there is any redness, pain or visual impairment.

# In the event of splashes or contact with skin:

Remove contaminated clothing and wash the skin thoroughly with soap and water or a recognised cleaner.

Name: WINTERSTEIGER AG - STERIBIO FRAICHEUR VERT - 6057

Date: 20/12/2010 Page 2/5 Revision: N°3 (19/05/2009) Company: HYDRACHIM - CLADE

#### DO NOT use solvents or thinners.

### In the event of swallowing:

In the event of swallowing, if the quantity is small (no more than one mouthful), rinse the mouth with water and consult a doctor.

If swallowed accidentally, call a doctor to assess the need for monitoring and subsequent treatment in hospital. Show him the label.

#### 5 - FIRE-FIGHTING MEASURES

Chemical powders, carbon dioxide and other extinguishing gas are suitable for small fires.

### Suitable extinguishing media:

Special foams for polar liquids (known as alcohol resistant), powders, carbon dioxide.

#### Extinguishing media which must not be used for safety reasons:

Sometimes, and due to the presence of organic material, a fire may produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

Prevent the effluent of fire-fighting measures from entering drains or waterways.

#### Special protective equipment for fire-fighters:

Fire-fighting personnel are to be equipped with autonomous insulating breathing apparatus.

#### 6 - ACCIDENTAL RELEASE MEASURES

#### **Personal precautions:**

Avoid inhaling the vapors.

Consult the safety measures listed under headings 7 and 8.

#### **Environmental precautions:**

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

Use drums to dispose of waste recovered in accordance with applicable regulations (see heading 13).

If the product contaminates waterways, rivers or drains, alert the relevant authorities in accordance with statutory procedures

### Methods for cleaning up:

Clean preferably with a detergent, do not use solvents.

### 7 - HANDLING AND STORAGE

The regulations relating to storage premises apply to workshops where the product is handled.

# Handling:

Prevent the formation of flammable or explosive concentrations in air and avoid vapor concentrations higher than the occupational exposure limits.

# Fire prevention:

Use the product in premises where there are no naked flames or other sources of ignition and have protected electrical equipment

Keep packages tightly closed and away from sources of heat, sparks and naked flames.

Do not use tools which may produce sparks. Do not smoke.

Prevent access by unauthorised personnel.

### Recommended equipment and procedures:

For personal safety, see §8.

Observe precautions stated on label and also industrial safety regulations

Avoid inhaling vapors.

### Prohibited equipment and procedures:

Smoking, eating and drinking are prohibited in premises where the preparation is used

Never open the packages under pressure

# Storage:

Keep the container tightly closed in a dry place.

Keep away from all sources of ignition - do not smoke.

Keep well away from all sources of ignition, heat and direct sunlight

### 8 - EXPOSURE CONTROLS/PERSONAL PROTECTION

Revision: N°3 (19/05/2009) Company: HYDRACHIM - CLADE

Date: 20/12/2010 Page 3/5

Use personal protection equipment as per Directive 89/686/EEC.

## Exposure limit values per INRS ED 984:

France	VME-ppm:	VME-mg/m3:	VLE-ppm:	VLE-mg/m3:	Notes:	TMP N°:
64-17-5	1000	1900	5000	9500	-	84

#### Exposure limit values (2003-2006):

ı	Exposure limit values (2003-2006):								
	Germany/AGW	AGW:	AGW:	Faktor:	Bemerkungen:				
	64-17-5	500 ml/m3	960 mg/m3	2(II)	DFG. Y				
	UK/WELs	TWA:	STEL:	Ceiling:	Definition:	Criterion:			
	64-17-5	1000 ppm	-	-	-	-			
	UK/OES	TWA:	STEL:	Ceiling:	Definition:	Criterion:			
	64-17-5	1000 ppm	-	-	-	-			
	ACGIH/TLV	TWA:	STEL:	Ceiling:	Definition:	Criterion:			
	64-17-5	1000 ppm	-	-	-	-			

### **Respiratory protection:**

Anti-gas filters:

# Hand protection:

Type of gloves recommended:

- Butyl rubber
- Neoprene

### **Skin protection:**

For further information, see § 11 of S.D.S. - Toxicological information.

#### 9 - PHYSICAL AND CHEMICAL PROPERTIES

#### **General information:**

Physical state: fluid liquid
Aspect: Clear green

# Important health, safety and environmental information:

pH of the substance or preparation:

When a pH measure is possible, it has a value of:

Boiling point/boiling range:

not relevant.

Flash point interval:  $23^{\circ}\text{C} \leftarrow \text{Flash point} \leftarrow 55^{\circ}\text{C}$ 

Flash point: 33.00 °C.

Vapour pressure: Below 110 kPa (1.10 bar).

Density: < 1
Water solubility: Dilutable.

Other information:

melting point/melting range:

Self-ignition temperature:

Decomposition point/decomposition range:

not relevant.

not relevant.

Point / Interval of boiling:

79 °C

### 10 - STABILITY AND REACTIVITY

The preparation is stable at the handling and storage conditions recommended per § 7 of the safety data sheet,

### Materials to avoid:

Oxidising agents

### Hazardous decomposition products:

Carbon dioxide and monoxide.

#### 11 - TOXICOLOGICAL INFORMATION

No data is available regarding the preparation itself.

Splashes in the eyes may cause irritation and reversible damage

### Other data:

CAS 64-17-5: IARC Group 1: The agent is carcinogenic to humans.

#### 12 - ECOLOGICAL INFORMATION

No ecological data on the product itself is available.

The product must not be allowed to run into drains or waterways.

#### 13 - DISPOSAL CONSIDERATIONS

Do not pour into drains or waterways.

#### Waste:

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

#### Soiled packaging:

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

#### 14 - TRANSPORT INFORMATION

Transport product in compliance with provisions of the ADR for road, RID for rail, IMDG for sea and ICAO/IATA for air transport (ADR 2007 - IMDG 2006 - ICAO/IATA 2007).

UN1993=FLAMMABLE LIQUID, N.O.S.

(ethanol)

ADR/RID	Class	Code	Pack gr.	Label	Ident.	LQ	Provis.
	3	F1	III	3	30	LQ7	274 330 601 640E



IMDG	Class	2°Label	Pack gr.	LQ	EMS	Provis.		
	3	-	III	5 L	F-E,S-E	223 274 330 944		
						955		
IATA	Class	2°Label	Pack gr.	Passager	Passager	Cargo	Cargo	note
	3	-	III	309	60 L	310	220 L	A3
								A148
	3	-	III	Y309	10 L	-	-	-

# 15 - REGULATORY INFORMATION

This preparation was classified in compliance with the directive known as <All preparations> 1999/45/EC and its adaptations In addition directive 2008/58/EC with the 30° adaptation of directive 67/548/EEC (Hazardous substances) has been taken into account. In addition directive 2009/2/EC with the 31° adaptation of directive 67/548/EEC (Hazardous substances) has been taken into account. In addition Regulation (EC) No 1272/2008 has been taken into account.

This product is for use as a biocide.

#### **Preparation classification:**

Flammable

## **Contains:**

Contains 202-983-3 ALPHA-HEXYL CINNAMIC ALDEHYDE. May produce an allergic reaction.

Contains 201-134-4 LINALOOL. May produce an allergic reaction.

# Particular hazards associated with the preparation and safety recommendations:

R 10 Flammable.

S 2 Keep out of the reach of children.

S 46 If swallowed, seek medical advice immediately and show this container or label.

Revision: N°3 (19/05/2009) Name: WINTERSTEIGER AG - STERIBIO FRAICHEUR VERT - 6057 Company: HYDRACHIM - CLADE

Date: 20/12/2010 Page 5/5

S 51 Use only in well-ventilated areas.

# Particular provisions:

Particular rules: the surfactants contained in this preparation comply with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held et the disposal of the competent authorities of the Member States and will be made available to them, at their direct request.

#### 16 - OTHER INFORMATION

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The product must not be used for any purposes other than those specified under heading 1 without first obtaining written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information given on this safety data sheet must be regarded as a description of the safety requirements relating to our product and not a guarantee of its properties

### Full text of risk phrases appearing in section 3:

R 11 Highly flammable. R 38 Irritating to skin.

R 43 May cause sensitisation by skin contact.

# Labelling for contents (REGULATION (EC) No 648/2004 - 907/2006):

- less than 5 % : nonionic surfactants
- disinfectants
- perfumes
- didecyldimonium chloride
- benzalkonium chloride
- alcohol
- linalool
- hexyl cinnamal

# Biocide labelling (Regulations 1896/2000, 1687/2002, 2032/2003, 1048/2005, 1849/2006, 1451/2007 and Directive 98/8/CE):

100100 100011115 (1105010101010 1000, 1000, 1000, 1			
Name	CAS	%	TP
DIDECYLDIMETHYLAMMONIUM	7173-51-5	2.80 g/kg	02
CHLORIDE			
QUATERNARY AMMONIUM COMPOUNDS	68424-85-1	7.00 g/kg	02
BENZYL-C12-16-ALKYLDIMETHYL,			
CHLORIDES			