No. 1907/2006 (REACH)

Revision 12.10.2021 (GB) Version 1.6

Kühlerschutz D-40 SUPER

834xxx



SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Name of product Kühlerschutz D-40 SUPER

Art-Nr 834xxx

UFI: 4M92-90E4-F007-HM46

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses

Product categories [PC]

PC4 - Anti-freeze and de-icing products

1.3. Details of the supplier of the safety data sheet

Manufacturer/distributor EUROLUB GmbH

Freisingerstraße 25-27, D-85386 Eching b. München Phone +49 8165 9591-0, Fax +49 8165 9591-210

E-Mail info@eurolub.com Internet www.eurolub.com

1.4. Emergency telephone number

Emergency advice

Phone +49 8165 9591-0

This number is only available at office times.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP/GHS]

Hazard classes and Hazard

Hazard Statements Classification procedure

categories

Acute Tox. 4 H302 STOT RE 2 H373

Hazard statements for health hazards

H302 Harmful if swallowed.

H373 May cause damage to organs through prolonged or repeated exposure.

2.2. Label elements

Labelling according to Regulation (EC) No 1272/2008 [CLP/GHS]





GHS07

GHS08

Signal word

Hazard statements for health hazards

H302 Harmful if swallowed.

H373 May cause damage to organs through prolonged or repeated exposure.

EUROLUB GmbH Page 1/8

No. 1907/2006 (REACH)

Revision 12.10.2021 (GB) Version 1.6

Kühlerschutz D-40 SUPER

834xxx



Precautionary Statements

Prevention

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P264 Wash hands thoroughly after handling.

P270 Do no eat, drink or smoke when using this product.

Response

P301 + P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

P314 Get medical advice/attention if you feel unwell.

P330 Rinse mouth.

Disposal

P501 Dispose of contents / container in accordance with local regulations.

Hazardous ingredients for labelling

ethanediol

2.3. Other hazards

Results of PBT and vPvB assessment

This substance does not meet the PBT/vPvB criteria of REACH, annex XIII.

! SECTION 3: Composition/information on ingredients

3.1. Substances

not applicable

3.2. Mixtures

! Hazardous ingredients

CAS No	EC No	Name	[% weight]	Classification according to Regulation (EC) No 1272/2008 [CLP/GHS]
107-21-1	203-473-3	ethanediol	> 90	Acute Tox. 4, H302 / STOT RE 2, H373

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Remove contaminated soaked clothing immediately.

In case of inhalation

Remove the casualty into fresh air and keep him immobile.

Ensure of fresh air.

In case of skin contact

In case of contact with skin wash off with soap and water.

In case of eye contact

In case of contact with eyes rinse thoroughly with plenty of water and seek medical advice.

In case of ingestion

If swallowed seek medical advice immediately and show the doctor packing or label.

If swallowed give water to drink.

4.2. Most important symptoms and effects, both acute and delayed

Physician's information / possible symptoms

No information available.

Physician's information / possible dangers

No information available.

EUROLUB GmbH Page 2/8

No. 1907/2006 (REACH)

Revision 12.10.2021 (GB) Version 1.6

Kühlerschutz D-40 SUPER

834xxx



4.3. Indication of any immediate medical attention and special treatment needed Treatment (Advice to doctor)

No information available.

SECTION 5: Firefighting measures

5.1. Extinguishing media Suitable extinguishing media

Foam Dry powder Water spray jet

5.2. Special hazards arising from the substance or mixture

In case of fire formation of dangerous gases possible.

5.3. Advice for firefighters

Special protective equipment for fire-fighters

Use breathing apparatus with independent air supply.

Wear full protective clothing.

Additional information

Collect contaminated firefighting water separately, must not be discharged into the drains.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Use personal protective clothing.

For emergency responders

Use personal protective clothing.

6.2. Environmental precautions

Do not discharge into the drains or bodies of water..

Collect contaminated water / firefighting water separately.

6.3. Methods and material for containment and cleaning up

Take up with absorbent material (e.g. general-purpose binder).

Additional Information

Informations for safe handling see chapter 7.

6.4. Reference to other sections

No information available.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

No special measures necessary if used correctly.

General protective measures

Avoid contact with eyes and skin

Hygiene measures

At work do not eat, drink and smoke.

EUROLUB GmbH Page 3/8

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

Revision 12.10.2021 (GB) Version 1.6

Kühlerschutz D-40 SUPER

834xxx



Advice on protection against fire and explosion

Take precautionary measures against static discharges.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Provide solvent-resistant and impermeable floor.

Keep only in original container.

Advice on storage compatibility

Store at cool and aired place and at distance to acids and alkalies.

Further information on storage conditions

Keep container tightly closed and store at cool and aired place.

Storage group 10

7.3. Specific end use(s)

Recommendation(s) for intended use

See section 1.2

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Indicative occupational exposure limit values (91/322/EEC, 2000/39/EC, 2004/37/EC, 2006/15/EC or 2009/161/EU)

CAS No	Name	Code	[mg/m3]	[ppm]	Remark
107-21-1	ethanediol	8 hours	52	20	skin
		Short-term	104	40	

8.2. Exposure controls

Respiratory protection

Breathing apparatus in the event of aerosol or mist formation.

Hand protection

chemical-resistant gloves

Eye protection

safety goggles with side protection

Other protection measures

protective clothing

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

AppearanceColourOdourliquidpinkcharacteristic

Odour threshold not determined

boiling point

Important health, safety and environmental information

> 160 °C

	Value	Temperature	at	Method	Remark
pH value	8				

EUROLUB GmbH Page 4/8

No. 1907/2006 (REACH)

Revision 12.10.2021 (GB) Version 1.6

Kühlerschutz D-40 SUPER

834xxx



	Value	Temperature	at	Method	Remark
melting point	<-18 °C				
Flash point	> 124 °C				
Vapourisation rate	not determined				
Flammable (solid)	not determined				
Flammability (gas)	not determined				
Ignition temperature	420 °C				
Self ignition temperature	not determined				
Lower explosion limit	not determined				
Upper explosion limit	not determined				
Vapour pressure	0,2 hPa	20 °C			
Relative density	1,122 g/cm3				
Vapour density	not determined				
Solubility in water	not determined				
Solubility/other	not determined				
Partition coefficient noctanol/water (log P O/W)	not determined				
Decomposition temperature	not determined				
Viscosity kinematic	20 - 30 mm2/s	20 °C			
Oxidising properties No information available.					
Explosive properties No information available.					
9.2. Other information No information available.					

SECTION 10: Stability and reactivity

10.1. Reactivity

No information available.

10.2. Chemical stability

No information available.

10.3. Possibility of hazardous reactions

No hazardous reactions known.

EUROLUB GmbH Page 5/8

No. 1907/2006 (REACH)

Revision 12.10.2021 (GB) Version 1.6

Kühlerschutz D-40 SUPER

834xxx



10.4. Conditions to avoid

No information available.

10.5. Incompatible materials

Substances to avoid

No hazardous reactions known.

10.6. Hazardous decomposition products

No hazardous decomposition products known.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity/Irritation/Sensitization

	Value/Validation	Species	Method	Remark
LD50 acute oral	1600 mg/kg	rat (male)		
LD50 acute dermal	No data available			
LC50 acute inhalation	No data available			
Skin irritation	non-irritant	rabbit		
Eye irritation		No information available.		
Skin sensitization	non-sensitizing	Guinea pig		
Subacute Toxicity - Ca	arcinogenicity			
	Value	Species	Method	Validation
Mutagenicity	No information available.			
Reproduction-				

Toxicity

No information available.

Carcinogenicity

No information available.

Specific target organ toxicity (repeated exposure)

May cause damage to kidneys through prolonged or repeated exposure in contact with skin. $\label{thm:map:cause} \mbox{May cause damage to kidneys through prolonged or repeated exposure if swallowed.}$

SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicological effects

LCOTOXICOIO	Value	Species	Method	Validation	
Fish	LC50 > 100 mg/l (96 h)	Leuciscus idus			
Daphnia	EC50 > 100 g/m3 (48 h)	Daphnia magna			

EUROLUB GmbH Page 6/8

No. 1907/2006 (REACH)

Revision 12.10.2021 (GB) Version 1.6

Kühlerschutz D-40 SUPER

834xxx



	Value	Species	Method	Validation
Algae	EC50 > 100 g/m3 (72 h)			
Bacteria	eria No information available.			
12.2. Persiste	ence and degradability Elimination rate	Method of analysis	Method	Validation
Biological degradability	> 70 % (28 d)		OECD 301 A	readily degradable

12.3. Bioaccumulative potential

No information available.

12.4. Mobility in soil

No information available.

12.5. Results of PBT and vPvB assessment

This substance does not meet the PBT/vPvB criteria of REACH, annex XIII.

12.6. Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste code No.

Name of waste

16 01 14*

antifreeze fluids containing hazardous substances

Wastes marked with an asterisk are considered to be hazardous waste pursuant to Directive 2008/98/EC on hazardous waste.

Recommendations for the product

Remove in accordance with local official regulations.

Recommendations for packaging

Contaminated packaging should be emptied as far as possible and after appropriate cleansing may be taken for reuse

SECTION 14: Transport information

	ADR/RID	IMDG	IATA-DGR
14.1. UN number	-	-	-
14.2. UN proper shipping na	me	-	-
14.3. Transport hazard class	(es)	-	-
14.4. Packing group	-	-	-
14.5. Environmental hazards	3 -	-	-

14.6. Special precautions for user

No information available.

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

No information available.

Land and inland navigation transport ADR/RID

EUROLUB GmbH Page 7/8

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

Revision 12.10.2021 (GB) Version 1.6

Kühlerschutz D-40 SUPER

834xxx



No dangerous goods as defined by these transport regulations.

Marine transport IMDG

No dangerous goods as defined by these transport regulations.

Air transport ICAO/IATA-DGR

No dangerous goods as defined by these transport regulations.

Transport/further information

No dangerous goods as defined by the transport regulations - ADR/RID, IMDG, ICAO/IATA-DGR.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

VOC standard

VOC content =0 % VOC value 0 g/L

National regulations

Water hazard class 1

15.2. Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Recommended uses and restrictions

National and local regulations concerning chemicals shall be observed.

Further information

The information contained herein is based on the state of our knowledge. It characterizes the product with regard to the appropriate safety precautions. It does not represent a guarantee of the properties of the product.

Indication of changes: "!" = Data changed compared with the previous version. Previous version: 1.5

H302 Harmful if swallowed.

May cause damage to organs (or state all organs affected, if known) through prolonged or repeated exposure

(state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard).

EUROLUB GmbH Page 8/8