MSDS Name: EPOWELD 8200 PART B MSDS Number: 08200-2 Version Number H MSDS Date: JUL-01-2005 Page Number: 1 of 6

SECTION I - PRODUCT AND COMPANY INFORMATION

Product Name: Hazard Rating:	EPOWELD 8200 PART B Health: 3 Fire: 2 Reactivity: 0 PPI:
Company Identification:	ROYAL ADHESIVES & SEALANTS LLC 600 CORTLANDT STREET BELLEVILLE NJ 07109-3384
Contact: Telephone/Fax: Emergency Phone (24 Hour):	BRUCE WEINMAN (973) 751-3000 (973) 751-8407 ENVIRONMENTAL SPECIALIST (973) 751-3000
Chemtrec (24 Hour): Preparer	(800) 424-9300 B. WEINMAN ENVIRONMENTAL SPECIALIST
Product Class Trade Name Product Code	POLYAMINE MIXTURE EPOWELD 8200 PART B 08200-2

SECTION II - INGREDIENT AND HAZARD INFORMATION

Hazardous Ingredients

CAS Number

POLYAMIDE

TRADE SECRET

DIMETHYLAMINOPROPYLAMINE 109-55-7 *** ALL Ingredients in this product are listed in the T.S.C.A. Inventory

SECTION III - HAZARDS IDENTIFICATION

EYE CONTACT: PRODUCT MAY BE EXTREMELY IRRITATING TO THE EYES AND MAY CAUSE SERIOUS DAMAGE INCLUDING BLINDNESS. VAPORS MAY BE IRRITATING. SKIN CONTACT: PRODUCT MAY BE IRRITATING TO THE SKIN. PRODUCT MAY CAUSE SKIN SENSITIZATION. INHALATION:

MSDS Name: EPOWELD 8200 PART B MSDS Number: 08200-2 Version Number H MSDS Date: JUL-01-2005 Page Number: 2 of 6

SEVERE RESPIRATORY TRACT IRRITANT. MAY CAUSE RESPIRATORY EFFECTS SUCH AS COUGH, TIGHTNESS OF CHEST OR SHORTNESS OF BREATH.

INGESTION:

MAY CAUSE IRRITATION OF MOUTH AND THROAT AND THE GASTROINTESTINAL TRACT.

OTHER HEALTH HAZARD INFORMATION:

PREEXISTING EYE, SKIN AND RESPIRATORY DISORDERS MAY BE AGGRAVATED BY EXPOSURE TO THIS PRODUCT.

SECTION IV - FIRST AID MEASURES

EYE CONTACT:

FLUSH THOROUGHLY WITH WATER FOR AT LEAST 15 MINUTES WHILE LIFTING UPPER AND LOWER EYE LIDS. GET IMMEDIATE MEDICAL ATTENTION.

SKIN CONTACT:

WIPE EXCESS FROM SKIN AND FLUSH WITH WATER FOR AT LEAST 15 MINUTES. GET MEDICAL ATTENTION. LAUNDER CLOTHING, DISCARD LEATHER CLOTHING. INHALATION:

REMOVE PERSON TO FRESH AIR AND PROVIDE OXYGEN IF BREATHING IS DIFFICULT. GIVE ARTIFICIAL RESPIRATION IF NOT BREATHING. GET MEDICAL ATTENTION.

INGESTION:

DO NOT INDUCE VOMITING. ADMINISTER 3-4 GLASSES OF MILK OR WATER. GET IMMEDIATE MEDICAL ATTENTION. NOTHING BY MOUTH IF VICTIM IS DROWSY, CONVULSING, OR UNCONSCIOUS.

SECTION V - FIRE-FIGHTING MEASURES

Flammability Class	IIIA				
Flash Range:	Not Available				
-	Pensky-Martens Closed Cup ASTM D 93				
Explosive Range:	Not Available				

FIRE-FIGHTING MEASURES:

USE WATER FOG, DRY CHEMICAL, FOAM, CARBON DIOXIDE. WATER OR FOAM MAY CAUSE FROTHING. USE WATER TO COOL FIRE-EXPOSED CONTAINERS. IF A LEAK OR SPILL HAS NOT IGNITED, USE WATER SPRAY TO DISPERSE THE VAPORS AND PROVIDE PROTECTION TO THE PEOPLE ATTEMPTING TO STOP THE LEAK. USE FULL TURNOUT GEAR INCLUDING

MSDS Name: EPOWELD 8200 PART B MSDS Number: 08200-2 Version Number H MSDS Date: JUL-01-2005 Page Number: 3 of 6

SELF-CONTAINED BREATHING APPARATUS (SCBA). FIRE EXPOSED CONTAINERS MAY BUILD PRESSURE AND BURST.

SECTION VI - ACCIDENTAL RELEASE MEASURES

SPILLS:

SHUT OFF ALL IGNITION SOURCES AND DIKE SPILL TO CONTAIN AND PREVENT ENTRY INTO SEWERS OR WATER SOURCES. ABSORB SPILLED MATERIAL AND PLACE IN CLOSED CONTAINER FOR DISPOSAL. CONTROLLED INCINERATION. HANDLE IN COMPLIANCE WITH LOCAL, STATE, AND FEDERAL ENVIRONMENTAL PROTECTION AGENCY REGULATIONS.

SECTION VII - HANDLING AND STORAGE

STORAGE CONDITIONS:

STORE IN A COOL, DRY PLACE. KEEP AWAY FROM OPEN FLAMES AND HIGH TEMPERATURES. KEEP CONTAINER CLOSED EXCEPT WHEN TRANSFERRING MATERIAL. GROUND AND BOND ALL EQUIPMENT.

DO NOT REUSE CONTAINERS. TOXIC AND EXPLOSIVE RESIDUES MAY REMAIN IN CONTAINERS. DO NOT APPLY AIR PRESSURE, PUNCTURE OR WELD ON OR NEAR CONTAINERS.

SECTION VIII - EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational Exposure Limits							
	ACGIH TLV	ACGIH TLV-C	ACGIH STEL	OSHA STEL	OSHA PEL		
POLYAMIDE							
	N/est	N/est	N/est	N/est	N/est		
DIMETHYLAMINOPROPYLAMINE							
	N/est	N/est	N/est	N/est	N/est		
PERSONAL PROTECTIVE EQUIPMENT:							
IN THE ABSENCE OF PROPER ENVIRONMENTAL CONTROL OR VENTILATION,							
WEAR A RESPIRATOR APPROVED BY NIOSH/MSHA WHENEVER EXPOSED TO							
FUMES OR VAPORS. COMPLY WITH OSHA 1910.134 (CFR).							
SELF-CONTAINED BREATHING APPARATUS IN HIGH CONCENTRATIONS.							
LOCAL EXHAUST IS RECOMMENDED.							
USE CHEMICAL RESISTANT PROTECTIVE GLOVES, CHEMICAL SPLASH GOGGLES.							
CHEMICAL RESISTANT PROTECTIVE CLOTHING TO MINIMIZE EXPOSURE;							

MSDS Name: EPOWELD 8200 PART B MSDS Number: 08200-2 Version Number H MSDS Date: JUL-01-2005 Page Number: 4 of 6

CHEMICAL SPLASH APRON, FULL FACE SHIELD. EYE WASH STATION AND SAFETY SHOWER SHOULD BE AVAILABLE FOR EMERGENCY USE.

SECTION IX - PHYSICAL AND CHEMICAL PROPERTIES

Form: LIQUID Appearance/Color: AMBER Odor: AMINE Boiling Range: Not Available Vapor Pressure (mmHg): Not Available Melting Point: Not Applicable Evaporation Rate: Unavailable % Volatile Not Available Specific Gravity: 0.96

SECTION X - STABILITY AND REACTIVITY

Stability:This product is stableHazardous Polymerization:Hazardous polymerization will not occur

REACTIVITY:

INCOMPATIBILITY: OXIDIZING AGENTS, CLEANING SOLUTIONS SUCH AS CHROMERGE/AQUA REGIA. CONDITIONS TO AVOID: HIGH TEMPERATURES. HAZARDOUS DECOMPOSITION PRODUCTS: CARBON MONOXIDE, CARBON DIOXIDE, NITROGEN OXIDES, AMMONIA.

SECTION XI - TOXICOLOGICAL INFORMATION

Lethal Dose Information (ppm) Oral Skin Inhale LC50

TOXICOLOGICAL INFORMATION: NO INFORMATION IS AVAILABLE.

SECTION XII - ECOLOGICAL INFORMATION

NO INFORMATION IS AVAILABLE.

SECTION XIII - DISPOSAL CONSIDERATIONS

MSDS Name: EPOWELD 8200 PART B MSDS Number: 08200-2 Version Number H MSDS Date: JUL-01-2005 Page Number: 5 of 6

RCRA CONSIDERATIONS: PLACE IN AN APPROPRIATE DISPOSAL FACILITY IN COMPLIANCE WITH FEDERAL AND LOCAL REGULATIONS.

SECTION XIV - TRANSPORT INFORMATION

UN Number UN Pack Group UN Class ICAO/IATA Class IMDG Class Shipping Name ADR/RID Class DOT Hazard Class Technical Name

NOT REGULATED NOT REGULATED PLASTIC LIQUID, NOS NOT REGULATED

SECTION XV - REGULATORY INFORMATION

TSCA STATUS:

ALL INGREDIENTS CONTAINED IN THIS PRODUCT ARE ON THE TSCA INVENTORY.

INVENTORY STATUS: ALL THE COMPONENT(S) OF THIS PRODUCT HAVE BEEN FOUND ON THE FOLLOWING INVENTORIES:

UNITED STATES CANADA (DSL)

ALL THE COMPONENT(S) OF THIS PRODUCT HAVE NOT YET BEEN IDENTIFIED ON THE FOLLOWING INVENTORIES:

EUROPE JAPAN AUSTRALIA KOREA CHINA PHILIPPINES

SECTION XVI - OTHER INFORMATION

DISCLAIMER:

MSDS Name: EPOWELD 8200 PART B MSDS Number: 08200-2 Version Number H MSDS Date: JUL-01-2005 Page Number: 6 of 6

ALTHOUGH THE INFORMATION AND RECOMMENDATIONS SET FORTH HEREIN (HEREINAFTER "INFORMATION") ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE CORRECT AS OF THE DATE HEREOF, ROYAL ADHESIVES & SEALANTS LLC MAKES NO REPRESENTATIONS AS TO THE COMPLETENESS OR ACCURACY THEREOF. INFORMATION IS SUPPLIED UPON THE CONDITION THAT THE PERSONS RECEIVING SAME WILL MAKE THEIR OWN DETERMINATION AS TO ITS SUITABILITY FOR THEIR PURPOSES PRIOR TO USE. IN NO EVENT WILL ROYAL ADHESIVES & SEALANTS LLC BE RESPONSIBLE FOR DAMAGES OF ANY NATURE WHATSOEVER RESULTING FROM THE USE OF OR RELIANCE UPON INFORMATION. NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESSED OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OF ANY NATURE ARE MADE HERE-UNDER WITH RESPECT TO INFORMATION OR THE PRODUCT TO WHICH INFORMATION REFERS.