Printing date 15.04.2016

Version number 1

Revision: 15.04.2016

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: SOLO-Nex WINTERSTEIGER art.no., 55-100-855 Disinfection Liquid DESINEX, 12 It.

• Article number: S5030-6

- \cdot 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Sector of Use

SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen) • Product category PC28 Perfumes, fragrances

1.3 Details of the supplier of the safety data sheet
Manufacturer/Supplier: Solero AG
Tannholzstrasse 3
3052 Zollikofen

E-mail: solero@soleroag.ch Tel.031 910 45 51 Fax 031 910 45 52

Gladek Technik GmbH CH-6052 Hergiswil

info@gladek-technik.ch Tel.: +41 (0)416710800

· Informing department: Product safety department.

• **1.4 Emergency telephone number:** Tox Zentrum Zürich Tel. international: 0041 44 2515151 TOX-Zentrum Zürich Tel:+41 44 2515151

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture · Classification according to Regulation (EC) No 1272/2008

GHS02 flame

Flam. Liq. 3 H226 Flammable liquid and vapour. · 2.2 Label elements · Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. · Hazard pictograms GHS02 · Signal word Warning · Hazard statements H226 Flammable liquid and vapour. · Precautionary statements P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P280 Wear protective gloves/protective clothing/eye protection/face protection. Use explosion-proof electrical/ventilating/lighting/equipment. P241 P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P403+P235 Store in a well-ventilated place. Keep cool. P501 Dispose of contents/container in accordance with national regulations.

(Contd. on page 2)

⁻ GB

Printing date 15.04.2016

Version number 1

Revision: 15.04.2016

Trade name: SOLO-Nex

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Chemical characterisation: Mixtures
- · Description: Mixture of the substances listed below with harmless additions.

· Dangerous components:

CAS: 67-63-0 EINECS: 200-661-7 Reg.nr.: 01-2119457558-25 Propan-2-ol Flam. Liq. 2, H225; Eye Irrit. 2, H319; STOT SE 3, H336

2.5-10%

• Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- 4.1 Description of first aid measures
- · General information Instantly remove any clothing soiled by the product.
- After inhalation Supply fresh air; consult doctor in case of symptoms.
- · After skin contact Instantly rinse with water.
- · After eye contact Rinse opened eye for several minutes under running water.
- After swallowing In case of persistent symptoms consult doctor.
- · 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- \cdot Suitable extinguishing agents

CO2, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam.

- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
- 6.2 Environmental precautions: Prevent material from reaching sewage system, holes and cellars. Do not allow to enter drainage system, surface or ground water.
 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose of contaminated material as waste according to item 13. Ensure adequate ventilation.

6.4 Reference to other sections
 See Section 7 for information on safe handling
 See Section 8 for information on personal protection equipment.
 See Section 13 for information on disposal.

(Contd. on page 3)

(Contd. of page 1)

Printing date 15.04.2016

Version number 1

Revision: 15.04.2016

Trade name: SOLO-Nex

(Contd. of page 2)

GB

SECTION 7: Handling and storage

- · 7.1 Precautions for safe handling
- *Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges.*
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage
- Requirements to be met by storerooms and containers: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see item 7.
- · 8.1 Control parameters
- · Components with limit values that require monitoring at the workplace:
- The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

67-63-0 propan-2-ol (2.5-10%)

WEL Short-term value: 1250 mg/m³, 500 ppm Long-term value: 999 mg/m³, 400 ppm

• Additional information: The lists that were valid during the compilation were used as basis.

- · 8.2 Exposure controls
- · Personal protective equipment
- General protective and hygienic measures Take off immediately all contaminated clothing

Wash hands during breaks and at the end of the work.

- · Breathing equipment: Not required.
- **Protection of hands:** Protective gloves.
- · Penetration time of glove material -
- · Eye protection: Tightly sealed safety glasses.

SECTION 9: Physical and ch	emical properties	
• 9.1 Information on basic physical a	and chemical properties	
· General Information		
· Appearance:		
Form:	Fluid	
Colour:	Colourless	
· Odour:	Characteristic	
· Odour threshold:	Not determined.	
· pH-value at 20 °C:	8	
· Change in condition		
Melting point/Melting range:	Not determined	
Boiling point/Boiling range:	Not determined	
· Flash point:	43 °C	
· Inflammability (solid, gaseous)	Not applicable.	
		(Contd. on page 4)

Printing date 15.04.2016

Version number 1

Revision: 15.04.2016

Trade name: SOLO-Nex

	(Contd. of page 3	
· Ignition temperature:		
Decomposition temperature:	Not determined.	
· Self-inflammability:	Product is not selfigniting.	
· Danger of explosion:	Product is not explosive. However, formation of explosive air/stead mixtures is possible.	
· Critical values for explosion:		
Lower:	Not determined.	
Upper:	Not determined.	
· Vapour pressure at 20 °C:	42 hPa	
· Density	Not determined	
· Relative density	Not determined.	
· Vapour density	Not determined.	
• Evaporation rate	Not determined.	
· Solubility in / Miscibility with		
Water:	Fully miscible	
· Partition coefficient (n-octanol/wa	ter): Not determined.	
· Viscosity:		
dynamic:	Not determined.	
kinematic:	Not determined.	
9.2 Other information	No further relevant information available.	

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

- · 10.3 Possibility of hazardous reactions No dangerous reactions known
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values that are relevant for classification:

67-63-0 propan-2-ol

Oral LD50 5560 mg/kg (rat)

Dermal LD50 12800 mg/kg (Rat)

· Primary irritant effect:

- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- Serious eye damage/irritation Based on available data, the classification criteria are not met.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

· CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.

• Reproductive toxicity Based on available data, the classification criteria are not met.

- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.

(Contd. on page 5)

Printing date 15.04.2016

Version number 1

Revision: 15.04.2016

Trade name: SOLO-Nex

· Aspiration hazard Based on available data, the classification criteria are not met.

(Contd. of page 4)

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxicity:

67-63-0 propan-2-ol

LC50/96h >1000 mg/L (Algen)

· 12.2 Persistence and degradability

The tenside present in this preparation meets (The tensides present in this preparation meet) the biodegradability conditions set out in Regulation (EC) No. 648/2004 on detergents

- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water. Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- **vPvB:** Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- *Recommendation: Disposal must be made according to official regulations.*
- Recommended cleaning agent: Water, if necessary with cleaning agent.


· 14.1 UN-Number	
· ADR, IMDG, IATA	UN1993
· 14.2 UN proper shipping name	
·ADR	1993 FLAMMABLE LIQUID, N.O.S. (not viscous
	(ISOPROPANOL (ISOPROPYL ALCOHOL))
· IMDG	FLAMMABLE LIQUID, N.O.S. (ISOPROPANO
	(ISOPROPYL ALCOHOL))
·IATA	Flammable liquid, n.o.s. (Isopropanol)
· 14.3 Transport hazard class(es)	
ADR	
· Class	3 (F1) Flammable liquids.

Printing date 15.04.2016 Version number 1 Revision: 15.04.2016 Trade name: SOLO-Nex (Contd. of page 5) · Label 3 · IMDG, IATA 3 Flammable liquids. · Class · Label 3 · 14.4 Packing group III· ADR, IMDG, IATA · 14.5 Environmental hazards: · Marine pollutant: No · 14.6 Special precautions for user Warning: Flammable liquids. · Kemler Number: 33 · EMS Number: F-E, S-E· Stowage Category A · 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable. · Transport/Additional information: · ADR 5L \cdot Limited quantities (LQ) Code: E1 \cdot Excepted quantities (EQ) Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml · Transport category 3 · Tunnel restriction code D/E· IMDG lL \cdot Limited quantities (LQ) Code: E2 \cdot Excepted quantities (EQ) Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml · UN "Model Regulation": UN 1993 FLAMMABLE LIQUID, N.O.S. (NOT VISCOUS) (ISOPROPANOL (ISOPROPYL ALCOHOL)), 3, III

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category P5c FLAMMABLE LIQUIDS
- \cdot Qualifying quantity (tonnes) for the application of lower-tier requirements 5,000 t
- \cdot Qualifying quantity (tonnes) for the application of upper-tier requirements 50,000 t
- · National regulations
- · Technical instructions (air):



• Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.

(Contd. on page 7)

GB

Printing date 15.04.2016

Version number 1

Revision: 15.04.2016

Trade name: SOLO-Nex

(Contd. of page 6)

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H225 Highly flammable liquid and vapour.
H319 Causes serious eye irritation.
H336 May cause drowsiness or dizziness.
Contact: Solero AG, Abteilung Labor
Abbreviations and acronyms:
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals

ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent

EINECS: European Inventory of Existing Commercial Chemical Substances

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 2: Flammable liquids, Hazard Category 2 Flam. Liq. 3: Flammable liquids, Hazard Category 3

Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2

STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3

 \cdot * Data compared to the previous version altered.