



**WINTERSTEIGER**  
S P O R T S

*SNB 60 / SNB 80*  
**snowboard tuning**






# Give every board the better bite!

## *Total Board Tuning*

Snowboard performance is no longer reserved for alpine riders. Nowadays freeriders and freestylers demand it too! For better hold in the carve, bigger jumps, smoother spins.

SNB 80







# System

*Innovative Technology*

- ① Perfect grinding of running surfaces and edges
  - ② Comfortable handling
  - ③ Autofeed
  - ④ Optional side edge unit
  - ⑤ Two stage belt drive
  - ⑥ Multiple belt options
  - ⑦ Mobile operation (SNB 60)
- ① With the snb 80, and snb 60, The base and edges of snowboards may be ground to an optimal finish.
  - ② Thanks to their compact construction, the machines are easy to operate. Belt replacement and adjustment could not be simpler.
  - ③ The SNB 80 can also be fitted with a torsion-resistant automatic feed unit – with infinitely adjustment between 5 and 15 m/min.
  - ④ The optional side edge roller for snowboards, with its 340 mm roller, allows precise side edge grinding.
  - ⑤ Two stage belt drive permits selection of the ideal speed for the chosen grinding finish.
  - ⑥ Divided idler wheels allow for the use of one snowboard belt, or two alpine ski belts, for staged grinding of skis.
  - ⑦ The SNB 60's easy handling and mobility make it one impressive machine. After use, the machine may be simply pushed to its storage position. A swiveling support also makes it possible to grind the side edges of snowboards.

Feed speed infinitely adjustable

Side edge unit specially designed for snowboards





# Functionality

*high performance*

- ① Wide belt width
- ② All tuning functions
- ③ Best grinding results
- ④ Optional side edge grinder
- ⑤ Automatic feed



- ① Both Snowboards and Skis may be tuned, thanks to the 350 mm belt.
- ② All process – from rough, to finish grinds, to polish, wax and deburring – may be carried out on one machine with various belts.
- ③ Infinitely adjustable feed speed further optimizes the quality of the finish.
- ④ The snb 80's side edge unit allows for precise edge beveling from 87 - 90 degrees.
- ⑤ The snb 80 is available with an automatic feed unit. The torsion-resistant feed arm and the specially PCS (pressure Compensation System) ensure the best grinding results even on uneven boards, thanks to the varying contact pressure (150-300 N).



# Advantages at a glance

## SNB 80

- ① *Infinitely adjustable feed speed*
- ② *Optional autofeed with side edge grinder.*
- ③ *Divided idler wheels for double or single belt use.*

## SNB 60


- ① *Mobile, requiring minimal storage space*
- ② *Combined base and edge side grinding*
- ③ *Easy to use, saves time*

## Profitability Analysis *snb 60*


Potential profits

Potential  
profitability  
annually

Number of services 25 50 75 100 125 150 175 200



## Workshop tailor-made:



*The sketch presents a fully-fitted workshop. Please contact us! We would be happy to design your custom-made workshop.*



	SNB 60	SNB 80
<i>local requirements active</i>		
length	1320 mm	
width	640 mm	
height	1080 mm	
<i>local requirements passive</i>		
length	800 mm	1200 mm
width	640 mm	760 mm
height	1080 mm	1050 mm
shipping weight	170 kg	340 kg
dimensions of accessories		
grinding belt	350 x 1300 mm	350 x 2000 mm
capacity of tank	50 l	110 l
working height	900 mm	1000 mm
sound level	78 dB(A)	80 dB(A)
rate of feed l		5 - 15 m/min
pressure autofeed belt unit		150 - 200 N
belt speed (rpm)	1500	750 - 1500
<i>power requirements:</i>		
power	2,4 kW	2,1 - 2,9 kW
connected load	3 x 400 - 415 V, 50 Hz	3 x 380 - 415 V, 50 Hz
rated current	4,5 A	7 - 10 A
fuse protections	10/16 A	16/20 A
connected load	1 x 220 - 230 V, 50 Hz	3 x 208 - 230 V, 60 Hz
rated current	17 A	10 - 13 A
fuse protections	20/25 A	15/20 A
connected load	3 x 220 - 230 V, 50 Hz	
rated current	8,5 A	
fuse protections	12 A	
connected load	3 x 208 - 220 V, 60 Hz	
rated current	8,5 A	
fuse protections	12 A	
connected load	1 x 208 V, 60 Hz	
rated current	17 A	
fuse protections	20 A	

**WINTERSTEIGER**  
S P O R T S

international

AUSTRIA/ÖSTERREICH:

**WINTERSTEIGER** GmbH

Head office:  
Dimmelstraße 9, P.O. Box 204  
A-4910 Ried im Innkreis  
Tel.: 0 77 52/919-14  
Fax: 0 77 52/919-52

GERMANY/DEUTSCHLAND:

**WINTERSTEIGER** GmbH

Subsidiary Germany – Buchloe  
Langwiesenweg 5  
D-86807 Buchloe  
Tel.: 0 82 41/54 05 oder 54 09  
Fax: 0 82 41/53 91

FRANCE/FRANKREICH:

**WINTERSTEIGER** S.A.R.L.

1020 Av. André Lasquin  
P.O. Box 147  
F-74704 Sallanches Cedex  
Tel: 50 93 71 70  
Fax: 50 58 57 78

CANADA/KANADA:

**WINTERSTEIGER**

CANADA SPORTS  
964 Bergar  
Laval, Q.C., H7L 5A1  
Tel.: 514 663 7800  
Fax: 514 663 2896

USA/USA:

**WINTERSTEIGER**

217 Wright Brothers Drive  
84116 Salt Lake City, UT.  
Tel.: 801 355 6550  
Fax: 801 355 6541

ARGENTINA / Buenos Aires, AUSTRALIA / Sydney, AUSTRIA / Ried, BENELUX / Zaandam, CANADA / Bergar, CHILE / Santiago, CZECH REPUBLIC / Zlín, DENMARK / Skanderborg, FINLAND / Espoo, FRANCE / Sallanches, GERMANY / Buchloe, GREAT BRITAIN / Cumbria, HUNGARY / Veszprém, ITALY / Tezze sul Brenta, JAPAN / Tokyo, KOREA / Seoul, NEW ZEALAND / Christchurch, NORWAY / Søn, SWEDEN / Grythyttan, SWITZERLAND / Altstätten, SLOVAKIA / Bardejov, SPAIN / Barcelona, USA / Salt Lake City.